Product Name : Print Cartridge SP1000E (Black toner) MSDS Number : 413196 Date Prepared : 01/09/2005 Date Modified : 10/07/2017 Date : 23/08/2017

RICOH

Safety Data Sheet (ISO form)

1.Product and Company Identification

Product Name	Print Cartridge SP1000E (Black toner)
General Use	:The Image Formation of Printing Machine or Copier
MSDS Number	:413196
Company Name	:Ricoh Company,Ltd.
Department	:Safety Engineering Department, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
	:msdsinfo@nts.ricoh.co.jp

2.Compo regulation (EC) No 1272/2008 sition/Information on Ingredients

Substance or Preparation Preparation

Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	30-70
Magnetite	Fe3O4	1309-38-2	<30
Styrene-acrylic Resin	Confidential	Confidential	<20
Carbon Black	С	1333-86-4	<5
Wax	Not Identified	8015-86-9	<5
Silica	O2Si	7631-86-9	<5

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients InformationChemical Name : Carbon BlackCAS Number: 1333-86-4OSHA Z-Tables (USA): 3.5mg/m3NTP (USA): Not listedSymbol (EU): Not listedDFG-MAK: III 3BCalifornia Proposition 65 (USA): Listed

EEC Number	: 215-609-9
ACGIH-TLV	: 3.5mg/m3
IARC Monographs	: Group 2B
R-Phrase (EU)	: Not listed
OELs-TWA (Australia)	: 3.0mg/m3

3.Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms Acute Inhalation Toxicity Exposure to excessive amount of dust may cause physical irritation to respiratory tract. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation

May cause slight transient irritation.

Acute Skin Irritation

May be non-irritant.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.

4.First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact

Wash thoroughly with soapy water. Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice. Notes to a physician

Not applicable

5.Fire-Fighting Measures

Extinguishing Media

CO2,dry chemicals,foam or water. Extinguishing Media to Avoid

Not applicable. Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air. Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures Personal Precautions

Do not breathe in dust. Environment Precautions

Do not flush into sewers or watercourses. Methods for Cleaning Up Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8.Exposure Controls/Personal Protection Technical Measures

Use adequate ventilation. None required with intended use.

```
Control Parameters
USA OSHA PEL (TWA)
                         : 15mg/m3 (Total dust)
                                                         5.0mg/m3 (Respirable fraction)
                         : 10mg/m3 (Inhalable fraction)
                                                         3.0mg/m3 (Respirable fraction)
ACGIH TLV (TWA)
DFG MAK
                         : 4.0mg/m3 (Total dust)
                                                         1.5mg/m3 (Respirable fraction)
Personal Protection
Respiratory Protections
      None required in normal use. If the limit of exposure concentration is exceeded, use authorised
      respirator.
Hand Protection
      Use vinyl or rubber gloves if necessary.
Eye Protection
      Put on goggles if necessary.
Skin and Body Protection
      Wear chemical-resistant apron or other impervious clothing if necessary.
Hygiene Measures
      Wash hands after handling.
```

9. Physical and Chemical Properties

AppearancePhysical State: SolidForm: PowderColour: BlackOdour: Slightly plastic odour

Information pH : Not applicable Specific Temperatures/Temperature Ranges at Which Changes in Physical State Occur Boiling Point (degrees centigrade) : Not applicable Melting Point (degrees centigrade) : (Softening point) Approx.110

Decomposition Temperature (degrees centigrade) Flash Point (degrees centigrade) Explosion Properties (degrees centigrade) : Not available

: Not applicable

: This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa): Not applicableVapor Density(AIR=1): Not applicableDensity (g/cm3): 1.45Measuring Temp (degrees centigrade) : 25

Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information

Flammability	: Not flammable
Viscosity (Pa•s)	: Not applicable
Volatile (%)	: 0.2 or below

10.Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

11.Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (The acute lethal oral dose to rats of JX Toner was demonstrated to be greater than 5000 mg/kg bodyweight.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : Non-irritant (Rabbit) (PII=0.0) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Regulation (EC) No 1272/2008.) Sensitization Acute Allergenic Effects : 0 % (Marmot) (Did not produce evidence of skin sensitisation.) Specific Effects Carcinogenicity : Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity. The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12. Ecological Information

Mobility : No data are available on any adverse effects on the environment. Persistence/Degradability : Not available : Not available

Ecotoxicity Acute Toxicity for Fish (LC50) Acute Toxicity for Daphnia	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/96hr : Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/48hr
(EC50) Algae Inhibition Test (IC50)	: Not classified as toxic (Regulation (EC) No 1272/2008).mg/l/72hr

13.Disposal Consideration

General information: Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations Land Transport RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable : Not applicable Class Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

15.Regulatory Information

```
Regulations
EU Information
       Information on the label (Regulation (EC) No 1272/2008)
              Symbols &
                              : Not required
              Indications
              R-Phrase
                               : Not required
              S-Phrase
                              : Not required
              Special Precautions under regulation (EC) No 1272/2008 Annex II : Not required
       Regulation (EC) No 1907/2006 annex XVII
              This product complies with applicable rules and regulations under Regulation (EC) No
              1907/2006 annex XVII.
       304/2003/EC
              Not regulated
       US Information
       Information on the label : Not required
       TSCA (Toxic Substances Control Act) :
              This toner complies with all applicable rules and regulations under TSCA.
       SARA Title III
              313 Reportable Ingredients : Not regulated
       California Proposition 65: Not regulated
       Canada Information
       WHMIS Controlled product : Not a controlled product
```

Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" $\ref{eq:Vol.93}$

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices	
OSHA Z-Table	0 1	
NTP (USA)	: US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens	
DFG-MAK	DFG List of MAK and BAT Value	
Symbol (EC)	: Regulation (EC)No.1272/2008	
91/155/ EEC	: EU Directive 91/155/ EEC	
1272/2008	: Regulation (EC) No 1272/2008	
CLP (EC)No.12	72/2008 : Regulation (EC)No.1272/2008 of the European Parliamant and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directive Regulation (EC) No 1272/2008, and amending Regulation (EC)No. 1907/2006	
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council	
	of 28 January 2003 concerning the export and import of dangerous chemicals	
OELs-TWA (Au	led product:Canada Workplace Hazardous Information System stralia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric	
OLLS IWA (Au	Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]	
Abbreviations		
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act	
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial	
DE 1 011		
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,	
0//10	Authorization and Restriction of Chemicals	
SVHC ECHA	Substances of Very High Concern	
DFG-MAK	The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft	
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic	
КОПЗ	Equipment	
TWA	Time Weighted Average	
IARC	nternational Agency for Research on Cancer	
NTP	National Toxicology Program	
WHMIS		
	······································	
NOHSC	National Occupational Health and Safety Commission Act 1985	

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.