In accordino to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

1. Identification of the Product and of the Company

Product name: TONER CARTRIDGE(K)d-COLOR MF2501/MF2001

Code number: B0990

Product description: Toner black

Company name:Olivetti S.p.A.
Via Jervis 77

10015 Ivrea (TO) - ITALY

For information: Tel. 0039 (0)125 775710

Fax 0039 (0)125 775711 e-mail : <u>supplies@olivetti.com</u>

For emergency: Centro Antiveleni-Ospedale Niguarda (Milano)

0039 (0)2 66101029

2. Hazards identification

Classification: Not classified as dangerous in according to Directive 67/548/CEE, 1999/45/CE, in according to the Regulation (CE) n.1272/2008 and 2001/60/CE and further modifications.

Other information on hazards

Ingestion: Ingestion is not applicable route of entry for intended use.

Inhalation: Prolonged inhalation of excessive dusts may cause lung damage. Use of

this product, as intended, does not result in inhalation of excessive dusts.

Eye Contact: May cause eye irritation.

Skin Contact: Unlikely to cause skin irritation.

Environment Hazards: No data are available on the adverse effects of this product on the

environment.

Specific Hazards: Dust explosion (like most finely divided organic powders)



In accordino to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

3. Composition/information on ingredients

Substance [] Preparation [X]

Major ingredients:

Chemical name	Weight %	CAS number	EINECS number
Polyester resin	70-80	+++	+++
Carbon Black	5-10	1333-86-4	215-609-9
Styrene acrylate copolymer	1-5	+++	+++
Titanium dioxide	<1	13463-67-7	+++
Amorphous Silica	1-5	7631-86-9	231-545-4

^{+++:} Supplier's confidential information

4. First – aid measures

Inhalation: Remove from exposure to fresh air and gargle with plenty of water. Consult a

doctor in case of such a symptoms as coughing.

Skin contact: Wash with water and mild soap.

Eye contact: Flush with water immediately and see a doctor if irritating.

Ingestion: Rinse out the mouth. Drink one or two glasses of water to dilute. Seek

medical treatment if necessary.

5. Fire - fighting measures

Extinguishing Media: CO₂, Water (Sprinkle with water), Foam, Powder or Dry Chemical

Extinguisher

Fire-Fighting Procedure: Pay attention not to blow away toner powder. Drain water off around and

decrease the atmosphere temperature to extinguish the fire.

6. Accidental release measures

Personal precautions: Avoid inhalation, ingestion, eye and skin contact in case of accidental

toner release.

Environmental precautions: No special precaution.

Methods for Cleaning-up:Gather the released toner not to blowing away and wipe up with a wet

cloth



In according to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

7. Handling and storage

Handling: Never open the toner container

Storage: Keep the toner container tightly closed and store in a cool, dry and dark place keeping away

from fire.

Keep away from children.

8. Exposure controls/personal protection

Engineer Measures

Ventilation: Ventilator is not required under normal use.

Control Parameters

ACGIH-TLV (2008)-TWA: Inhalable fraction 10 mg/m³, Respirable fraction 3 mg/m³, Titanium dioxide 10mg/ m³ Carbon Black 3.5 mg/m³

OSHA-PEL (2006)-TWA: Total Dust 15 mg/m³, Respirable fraction 5 mg/m³

Carbon Black 3.5 mg/m³

Titanium dioxide 15 mg/m³ Silica 80 mg/m³/%SiO₂

Protective Equipment: Respiratory protection, eye protection, hand protection, skin and body

protection are not required under normal use.

9. Physical and chemical properties

Physical state:	Solid		
Form:	Fine Powder		
Color:	Black		
Odour:	Odorless		
pH	Not applicable		
Melting Point:	100-120°C		
Explosion Properties:	Dust explosion is improbable under normal use. Experimental explosiveness of toner is classified into the same rank such kind of powder as flour, dry milk and resin powder according to the pressure rising speed.		
Density:	1.2-1.4 g/cm ³		
Solubility:	Almost insoluble in water		

10. Stability and reactivity

Stable under normal use. Stability/Reactivity:

Hazardous Decomposition Products: None.



In according to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

11. Toxicological information

Acute oral toxicity: (rat) $LD_{50}>2,000 \text{ mg/kg}$

(Estimated from other products containing same materials)

(rat) $LD_{50}>2,000 \text{ mg/kg}$ Acute dermal toxicity:

(Estimated from other products containing same materials)

Acute inhalation toxicity: (rat) LC_{50} (4hr)>5.0 mg/l

(Estimated from other products containing same materials)

Acute eye irritation: (rabbit) Minimal irritant

(Estimated from other products containing same materials)

Acute skin irritation: (rabbit) Mild irritant

(Estimated from other products containing same materials)

Skin sensitization: (mouse) Non-Sensitiser

(Estimated from other products containing same materials)

Mutagenicity: Ames test is Negative

(Estimated from other products containing same materials)

Reproductive Toxicity: No reproductive toxicant, according to MAK, California

Proposition 65, TRGS905 and EC n. 1272/2008

Carcinogenicity: No carcinogen or potential carcinogen (except carbon black), according to

IARC, Japan Association on Industrial Health, ACGIH, EPA, OSHA, NTP,

ILO, MAK, California Proposition 65, TRGS905 and EC n. 1272/2008

In the 1996, the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is a inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat recieving chronic inhalation to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-years cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Chronic effects: In a study in rats by chronic inhalation exposure to a typical toner, a mild to

moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4 mg/m³) exposure group. But no pulmonary change was reported in the lowest (1 mg/m³) exposure group, the most relevant level to potential human exposures.

Other information: None



In accordino to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

12.Ecological information

No data available.

13. Disposal considerations

Do not incinerate toner and toner containers. Dangerous sparks may cause burn.

Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

14. Transport information

UN Shipping name, UN Classification, UN Packing Group, Special Precautions : None

15. Regulatory information

EU Information

Information on the label (1999/45/EC and 67/548/EEC): Not required

US Information

All components in this product comply with order under TSCA

16. Other information

This Material Safety Data Sheet was prepared in according to the Regulation (CE) n. 1907/2006 REACh and Regulation (CE) n.1272/2008.

This information adds to those contained in the "Instructions of use" for same product, but does not substitute them.

The information contained herein relates only to the referred product as manufactured and put into the market, and is not valid for other combinations of same materials.

It is the user's responsibility to determine the suitability of such information for his intended use.



In according to the Regulation (CE) n. 1907/2006 REACH

Issue date: 28/03/2011 data Rev. Date: 28/03/2011 Data Sheet B0990in Rev. n. 0

<Abbreviation>

ACGIH: American Conference of Governamental Industrial Hygienists

PEL: Permissible Exposure Limit

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value TWA: Time Weighted Average

MAK: MAK (Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft

TRGS: Technische Regeln fur Gefahrstoffe (Deutsche)
IARC: International Agency for Reserch on Cancer
EPA: Environmental Protection Agency (USA)

NTP: National Toxicology Program ILO: International Labour Office

UN: Nnited Nations

TSCA: Toxic Substances Control Act (USA)

<Reference>

- * ISO 11014-1 Safety data sheet for chemical products
- * Commission Directive 91/155/EEC and 2001/58/EC
- * Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats H.Muhle et.la Fundamental and Applied Toxicology 17.280.299 (1991)
- * Lung Clereance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats B.Bellmann Fundamental and Applied Toxicology 17.300-313(1991)

